

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4490	(compar\$4 or analyz\$4) with ((user\$1 or client\$1) near3 input\$4)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:53
2	BRS	L2	127	(compar\$4 or analyz\$4) with ((user\$1 or client\$1) near3 context\$4)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:53
3	BRS	L3	21	1 and 2	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:54
4	BRS	L4	6326	search\$4 near2 request\$4	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:54
5	BRS	L5	1926	identify\$4 near5 user\$1 near4 input\$4	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:54

	Comments	Error Definition	Errors
1			0
2			0
3			0
4			0
5			0

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	77	4 and 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:55
7	BRS	L7	10	1 and 6	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:56
8	BRS	L8	2036	user\$1 adj3 context\$4	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:58
9	BRS	L9	77	1 and 8	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:58
10	BRS	L10	10	4 and 9	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 11:59

	Comments	Error Definition	Errors
6			0
7			0
8			0
9			0
10			0

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	65	(user\$1 or client\$1 or customer\$1 or consumer\$1) near2 context\$4 near3 parameter\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 12:00
12	BRS	L12	5	11 same (compar\$4 or analys\$4)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 12:00
13	BRS	L13	11	11 same (compar\$4 or analys\$4 or determin\$4)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 12:03
14	BRS	L14	1	user\$1 adj context\$4 adj parameter\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/12 12:03

	Type	L #	Hits	Search Text	DBs
1	BRS	L2	16758	file\$1 adj system\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L3	59	main adj2 file\$1 adj system\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L4	2	1 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L5	59	2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L6	7	5 and folder\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L1	95	custom\$1 adj file\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	2	(custom\$1 adj file\$1) same (main\$1 adj file\$1 adj2 system\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	2	(custom\$4 adj file\$1) same (main\$1 adj file\$1 adj2 system\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	2	5544360.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	6333	link\$4 adj4 file\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	14	(link\$4 adj4 (main adj3 file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	800	(custom\$4 near2 file\$1) and ((main\$1 near2 file\$1) or director\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	20	(custom\$4 near2 file\$1) and ((main\$1 near2 file\$1) or director\$4) same priority	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	26	spatial adj data adj mining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	6404	defin\$4 adj object\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	8	spatial adj rule\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB